

QED Bioscience Inc.

ADVANCED RESEARCH TECHNOLOGIES

Anti-Caspase 12 (NT) Antibody

ORDERING INFORMATION

Catalog No.: 2325

Size: 100 ug IgG in 200 uLPBS, pH 7.4, purified by immunoaffinity chroma-tography.

BACKGROUND

Three distinct signaling pathways lead to programmed cell death. The death receptor and mitochondrial pathways are the main pathways in which the proteases caspase-8 and caspase-9, respectively, are involved. Endoplasmic reticulum (ER) stress is the third pathway, and caspase-12 is involved. Caspase-12, localized in the ER, is activated by ER stress and mediates ER stress-induced apoptosis. Several proteins that are associated with Alzheimer's disease, including γ -secretase, presenilin, and β -amyloid precursor protein (APP), co-localize in the ER with caspase-12. Caspase-12 is ubiquitously expressed in mouse tissues.

SPECIFICATION SUMMARY

Antigen: Peptide corresponding to aa 2-17 at the N-terminus of mouse caspase-12.

Host Species: Rabbit

Preservatives: 0.02% sodium azide

SPECIFICITY

This antibody recognizes human, mouse, and rat caspase-12 (approx. 53 kD)

APPLICATIONS

Immunoblotting: use at 1:500-1:1,000 dilution.

Positive control: Tissue lysate of mouse brain.

DILUTION INSTRUCTIONS

Dilute in PBS or medium which is identical to that used in the assay system.

STORAGE AND STABILITY

This antibody is stable for at least one (1) year at -20°C . Avoid multiple freeze-thaw cycles.

For in vitro investigational use only. Not for use in therapeutic or diagnostic procedures.