

6-His Affinity-Purified Polyclonal Antibody, HRP Conjugate

ORDERING INFORMATION

Catalog No.	Size
18812P	100ug

Format: 1mg/ml conjugated to horseradish peroxidase (HRP) in Phosphate-Buffered Saline (PBS), pH 7.2, 0.2% BSA, 0.1% Pro-Clean 400. Molar enzyme/antibody ration is 4:1.

BACKGROUND

A polyhistidine-tag consists of at least six histidine (*His*) residues, often at the N- or C-terminus of a protein. Polyhistidine-tags are often used for affinity purification of polyhistidine-tagged recombinant proteins expressed in *Escherichia coli* and other prokaryotic expression systems.

SPECIFICATION SUMMARY

Antigen: 6-His (HHHHHH) conjugated to KLH.


Host Species: Goat

Specificity: Antibody was affinity-purified on the peptide. This antibody does not recognize all N-terminal 6-His tagged proteins.

APPLICATIONS

Immunoblotting: use at a dilution of 1:1,000-1:5,000.

kDa



Detection of 6-His tagged protein in 200, 200, and 50ng of E. coli lysate containing tagged fusion protein with #18812P diluted 1:5,000.

Immunocytochemistry: use at a dilution of 1:200-1:500. *ELISA:* use at a dilution of 1:10,000-1:100,000.

These are recommended dilutions. Endusers should determine optimal dilutions for their applications.

DILUTION INSTRUCTIONS

Dilute in PBS or medium that is identical to that used in the assay system.

STORAGE AND STABILITY

This antibody is stable for at least one (1) year at 2-8°C.

For in vitro investigational use only. Not for use in therapeutic or diagnostic procedures.

QED Bioscience, Inc. 10919 Technology Place, Suite C San Diego, CA 92127 Toll Free 800.929.2114 Phone 858.675.2405 Fax 858.592.1509 info@qedbio.com